

**To:** Egan, Robert[egan.robert@epa.gov]  
**From:** Kamke, Sherry  
**Sent:** Fri 9/4/2015 2:44:20 PM  
**Subject:** RE: analytical request form & sample requirements/capabilities table

I too, didn't hear about any capacity problems with CRL, but this is the first time that I think you were zeroing in on some range of dates. It makes sense thought that this would be a busy time for them and that they would have to give priority to sampling efforts that they have on their schedule already.

I know that Margaret is working on the letter back to the WDNR. I think we really need to have a technical meeting with them to see where we are on this schedule. I don't think we have a hope of getting into CRL until we can give them some kind of certainty on the dates.

I too am concerned about not being able to deliver on this part of the project because of how the tribe will perceive it.

Is there any chance that you can call John Robinson or do you think that it would help if I did?

**From:** Egan, Robert  
**Sent:** Friday, September 04, 2015 8:11 AM  
**To:** Kamke, Sherry  
**Subject:** FW: analytical request form & sample requirements/capabilities table

Hi Sherry,

I just cc'd you on a response to this message from Amanda at CRL.

This is disturbing news and I did not know before this that there may be a problem with capacity at the lab. We may have to have someone in the front office call for us and help get our samples scheduled. The main problem is not knowing when DNR will start the work at the site.

When I was at Boivin, the REI project manager (not the same project manager as for Tower) told me that they hoped to start by mid-September, but I still have not heard anything from John Robinson.

My fear is that we will get notice at the last moment and be unable to get samples accepted at CRL, making us look unsupportive of the tribe.

Let me know what you think.

Thanks.

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

(312) 886-6212

(312) 692-2911 (fax)

**From:** Wroble, Amanda

**Sent:** Thursday, September 03, 2015 4:41 PM

**To:** Egan, Robert

**Cc:** Schupp, George

**Subject:** RE: analytical request form & sample requirements/capabilities table

Hi Bob,

Mid-September through mid-October is going to be really busy at CRL with projects that have firm sampling dates beginning mid-September. Is it possible to sample in mid-October?

Thanks,

Amanda

**From:** Egan, Robert

**Sent:** Thursday, September 03, 2015 3:13 PM

**To:** Wroble, Amanda

**Subject:** RE: analytical request form & sample requirements/capabilities table

Amanda,

I need to start gearing up for this sampling activity. I do not know yet the final schedule for the state contractor, but I want to be prepared just in case I get word at the last minute.

There is a possibility that they will be in the field the week of Sept. 13. As of right now, we would like to collect metals and VOCs for soil, about 25 samples total for each. Will you be able to support this effort?

Also, is it possible for me to get the sampling bottles, paperwork and other supplies and hold them so they are ready for me to use when I hear about the field schedule?

Thank you for your help with this.

Regards,

Bob

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

(312) 886-6212

(312) 692-2911 (fax)

**From:** Wroble, Amanda

**Sent:** Thursday, August 27, 2015 3:13 PM

**To:** Egan, Robert

**Subject:** FW: analytical request form & sample requirements/capabilities table

Hi Bob,

See one of our VOC analyst's comments below concerning container/preservation.

Thanks,

Amanda

**From:** Kleinmaier, Danielle

**Sent:** Thursday, August 27, 2015 1:48 PM

**To:** Wroble, Amanda; Kerr, Michelle

**Subject:** Re: analytical request form & sample requirements/capabilities table

Encore sampling is what is recommended in the SOP. They can just take an Encore sample from the core sampler and cool it to 4 +/- 2 deg C.

I would not recommend that they perform MeOH preservation in the field as I have never seen this happen successfully.

They just need to get the Encore samples to us within 48 hours of when the samples were taken.

---

**From:** Wroble, Amanda  
**Sent:** Thursday, August 27, 2015 11:35 AM  
**To:** Kerr, Michelle; Kleinmaier, Danielle  
**Subject:** FW: analytical request form & sample requirements/capabilities table

Michelle/Danielle,

Can you chime in on the question below concerning soil VOCs?

Thanks,

Amanda

**From:** Egan, Robert  
**Sent:** Thursday, August 27, 2015 9:40 AM  
**To:** Wroble, Amanda  
**Subject:** RE: analytical request form & sample requirements/capabilities table

Hi Amanda,

Thank you for the recent assistance with learning about what services CRL can provide at my LUST site.

I have a question about soil VOCs- what container/preservation method do you recommend for subsurface split-spoon sampling of soil? I notice that the form you provided has more than one method.

This will be for a sandy soil and we will be splitting samples with a state contractor. Also, if you recommend MeOH preservation, can you supply the equipment for weighing the samples?

Thank you.

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

(312) 886-6212

(312) 692-2911 (fax)

**From:** Wroble, Amanda

**Sent:** Tuesday, August 04, 2015 8:40 AM

**To:** Egan, Robert

**Subject:** analytical request form & sample requirements/capabilities table

Please let me know if you have any questions.

Thanks,

Amanda

Amanda Wroble, Ph.D.

Chemist and Sample Coordinator

USEPA Region 5 Chicago Regional Laboratory

536 S. Clark St. ML-10C

Chicago, IL 60605

(312) 353-0375